

SR.NO.	DATE					
		INFECTIOUS WASTE	PLASTIC WASTE	GLASS & SHARP	PPC	Cyto Toxic
1	01-06-2023	81.6	89.9	16.3		
2	02-06-2023	67.8	69.7	12		
3	03-06-2023	70.4	95.1	29.8	7.7	
4	04-06-2023	49.6	41.3	11		0.4
5	05-06-2023	51.6	61.4	11.9		
6	06-06-2023	73.5	75.5	12.9		0.1
7	07-06-2023	54.9	66.7	10.9		
8	08-06-2023	54.3	65.6	11.8		
9	09-06-2023	74.5	87.8	25		0.1
10	10-06-2023	59.2	78	15.9	8.4	0.3
11	11-06-2023	34.4	71.3	11.3		0.3
12	12-06-2023	57.1	66.2	11.6		
13	13-06-2023	48.7	53.1	8.6		0.3
14	14-06-2023	60.2	71.5	10.7		
15	15-06-2023	75.6	87.4	20		
16	16-06-2023	56.8	81.1	20.7		0.2
17	17-06-2023	46.8	64.6	12	8.6	0.1
18	18-06-2023	51.5	50.8	12.5		
19	19-06-2023	40.7	65.7	11.5		
20	20-06-2023	56.2	68.8	10		
21	21-06-2023	64.8	79	10.4		0.3
22	22-06-2023	62.3	73.9	17.4		
23	23-06-2023	72.1	90.8	22.9		
24	24-06-2023	55.6	77.8	17.5	8.4	
25	25-06-2023	34.5	41	9.5		
26	26-06-2023	60.6	76.2	17.1		0.1
27	27-06-2023	58.5	71.5	13.3		
28	28-06-2023	67.8	85.4	19.1		0.3
29	29-06-2023	45.2	68.8	9.8		
30	30-06-2023	74.8	110	27.2		
TOTAL		1761.6	2185.9	450.6	33.1	2.5